

8p 10/100/1000M switch

Model:ATS-1008D

Complies with IEEE 802.3, IEEE 802.3u standards

8 10/100Mbps Auto-Negotiation RJ45 ports supporting Auto-MDI/MDIX

Supports IEEE 802.3x flow control for Full Duplex mode and backpressure for half-duplex mode

Supports MAC address auto-learning and auto-aging

LED indicators for monitoring power, link, activity

Plastic case, desktop

External Power Adapter supply (-48 Volt)



Specification:

Network protocol	IEEE802.3 10Base-T, IEEE802.3u 100Base-TX
Ports	8 10/100Mbps Auto-Negotiation ports
Network Media(Cable)	10Base-T: UTP category 3, 4, 5 cable (maximum 100m),EIA/TIA-568 100Ù STP (maximum 100m),100Base-Tx: UTP category 5, 5e cable (maximum 100m),EIA/TIA-568 100Ù STP (maximum 100m)
Switching capacity	1.6G
LED Indicators	1000Mbps Link/Act
Transfer Method	Store-and-Forward
MAC Address Learning	Automatically learning, automatically Update
Frame Filtering and Forward Rate	10Mbps: 14880pps, 1000Mbps: 148800pps
Environment	Operating Temperature: 0°C~40°C(32 F~104 F), Storage Temperature: -40°C~70°C(-40 F~158 F), Operating Humidity: 10%~90% non-condensing, Storage humidity: 5%~90% non-condensing

ANDA Telecom Pvt. Ltd.

ISO 9001:2000 Certified Company

Registered office : E-36, Amar Colony, Lajpat Nagar-IV, New Delhi - 110024, INDIA

Phone : +91 11 41323629, +91 93 502 57173

E-mail : Info@andatelecomindia.com

URL : www.andatelecomindia.com